

Package: rmdTemplates (via r-universe)

September 18, 2026

Type Package

Title A collection of Rmarkdown templates

Version 0.11.0

Author F. Rodriguez-Sanchez <f.rodriguez.sanc@gmail.com>.

Maintainer F. Rodriguez-Sanchez <f.rodriguez.sanc@gmail.com>

Description A collection of Rmarkdown templates for writing scientific manuscripts, manuscript reviews, Beamer slides (metropolis theme), xaringan slides, and other Rmarkdown documents, with support for cross-references, citations and different bibliography styles.

License CC0

URL <https://github.com/Pakillo/rmdTemplates>

BugReports <https://github.com/Pakillo/rmdTemplates/issues>

Imports base64enc, binb, bookdown, knitr, knitcitations, rmarkdown

Suggests devtools

RoxygenNote 7.2.0

Encoding UTF-8

Config/pak/sysreqs cmake make libicu-dev libuv1-dev libxml2-dev libssl-dev

Repository <https://pakillo.r-universe.dev>

Date/Publication 2022-09-13 09:13:59 UTC

RemoteUrl <https://github.com/Pakillo/rmdTemplates>

RemoteRef HEAD

RemoteSha f3e0e2c1b42ef07a624a95025475f92208fac8aa

Contents

embed_data_html	2
embed_rmd_html	2
generate_certificates	3
rmdTemplates	3

Index[4](#)

embed_data_html	<i>Embed R data in HTML file</i>
-----------------	----------------------------------

Description

This function generates HTML code to encode an RData/rda file within the HTML file.

Usage

```
embed_data_html(dataset, textHTML = "Click here to download the data")
```

Arguments

dataset	Character (required). Name of the dataset (RData or rda file) to be embedded in the HTML file (skipping the extension, i.e. rda or Rdata). Must be included within quotes.
textHTML	Character (optional). Text to be shown in the download link.

Author(s)

Richard Morey, slightly modified by F. Rodriguez-Sanchez.

Source

<http://bayesfactor.blogspot.com.es/2014/09/embedding-rdata-files-in-rmarkdown.html>

embed_rmd_html	<i>Embed Rmarkdown source code in the output HTML file.</i>
----------------	---

Description

This function generates HTML code to encode the Rmarkdown source code within the output HTML file.

Usage

```
embed_rmd_html(file)
```

Arguments

file	Character. Name of the Rmarkdown source file (within quotes), e.g. 'myreport.Rmd'
------	---

Author(s)

Ramnath Vaidyanathan, slightly modified by F. Rodriguez-Sanchez.

Source

http://rpubs.com/ramnathv/including_rmd_source

generate_certificates *Generate certificates*

Description

Automatically generate personal PDF certificates from an Rmarkdown parameterized template and a vector of people names.

Usage

```
generate_certificates(names = NULL, rmd = NULL, outdir = "certificates")
```

Arguments

names	A character vector of people names
rmd	Path to an Rmarkdown parameterized document.
outdir	Output directory where individual certificates will be saved

Value

One or many PDF files with individual certificates

rmdTemplates *A collection of Rmarkdown templates*

Description

A collection of Rmarkdown templates. Include helpful defaults for knitr options, as well as support for citations and different bibliography styles.

Details

After installing the package, click on ‘create new Rmarkdown document’ in Rstudio to have access to the templates. See http://rmarkdown.rstudio.com/developer_document_templates.html for more information.

Author(s)

F. Rodriguez-Sanchez <f.rodriguez.sanc@gmail.com>

Index

* **package**

rmdTemplates, [3](#)

embed_data_html, [2](#)

embed_rmd_html, [2](#)

generate_certificates, [3](#)

rmdTemplates, [3](#)